





伟艺抛磨材料
Weiyi Polishing Material

阳江市伟艺抛磨材料有限公司 Yangjiang Weiyi Polishing Material Co.,Ltd

公司简介 >> company introduction

阳江市伟艺抛磨材料有限公司座落于中国刀剪之都——广东省阳江市，具有近二十年尼龙轮研发、生产和销售经验，占地面积5万多平方米。伟艺公司立足自主研发，致力于产业化发展。现已研发、生产了尼龙轮、擦色轮、飞翼轮、拉丝轮、清洁抛、不织布刷辊、工业擦布、除油剂、除蜡水等十多种应用于多种领域的研磨材料，并可以根据客户的需求提供针对性解决方案和个性化服务。成为中国最大尼龙轮生产制造商，跻身全国行业前三强。

伟艺公司致力于学习型企业文化建设，打造了一支高素质的科研、管理、生产和营销专业化团队。今天的伟艺，已发展成为集多系列研磨材料研究、开发、生产、销售于一体的研磨企业，先后被评为广东省民营科技企业和阳东县十大增效工业企业，曾荣获“广东省著名商标”称号，连续四年荣获阳东县科学技术一等奖，公司通过了ISO9001质量体系认证，并全面开展企业标准化管理工作，建立了现代化的研发中心，多次获得研磨材料研究开发奖、技术创新专项奖和技术进步奖。

伟艺公司本着“专心、专注，打造研磨专家”的质量方针，秉承“价格合理，诚信服务”的经营宗旨，致力打造“伟艺”品牌。现已在国内30多个省市设立专业服务点，拥有8000多个忠诚的终端用户，占领了国内整体50%以上的市场份额，并得到了各地区用户广泛的认可和好评。2011年起，公司在稳定全国范围内的研磨行业领军地位前提下，已成功向越南、印度、孟加拉、马来西亚等国际市场营销进军，建立了专门的国际营销服务中心。

坚定信心，肩承使命，伟艺将为推动研磨事业发展忠坚不渝，伟艺将为个人成长搭建平台矢志不渝！伟艺人正在用自己的胆识和才智，打造百年发展的研磨基业。



Yangjiang Weiyi Polishing Material Company Limited (hereinafter referred to as Weiyi) which is located in Yangjiang, Guangdong Province, a Knives & Scissors Center of China, has nearly twenty years experience in researching, producing and selling Nylon Wheels. Weiyi covers an area of about 50,000 square meters. Weiyi, based on independent research and development, devotes to industrialization development. By far, Weiyi has produced a series of polishing material which is applied in many fields, such as Nylon wheel, Colour-polishing wheel, Flying wing wheel, Pulling wheel, Stone polishing wheel, Polishing pad, Paraffin-removal liquid, and so on. Besides, Weiyi can provide targeted solutions and individual service according to customers' requirements. Hence, Weiyi has become the largest Nylon Wheel Manufacturer in China, and has been listed in the Top Three of China's Grinding industry.

Weiyi devotes to constructing learning-oriented enterprise and building a high quality and professional team of scientific researching, managing, producing and marketing. Today's Weiyi, has become a set research, development, production, sales in one of grinding enterprise, has successively awarded as Guangdong Private Technology Enterprise and Yangdong Top Ten efficient Enterprise. Besides, Weiyi was awarded "Famous brand" in Guangdong Province, and has won the first prize of Yangdong Science and Technology for four successive years. Furthermore, Weiyi has passed ISO-9001 quality certification system and has brought enterprise standardization management system into force, also Weiyi has built the modern scientific research center. What's more, Weiyi has obtained the prize for researching and developing, the prize for technical innovation, and the prize for Technology Progress.

Weiyi regards "devoting herself to being a grinding expert" as the quality policy, and "reasonable price and sincerity service" as the management aim, and devotes herself in building "Weiyi". For now, Weiyi has set up professional service center in over thirty provinces and cities, and has more than 8000 customers with entirely occupying over 50% market shares in China, thus Weiyi is widely recognized and praised by all customers. Since 2011, on the premise of maintaining the Chinese grinding enterprise leading status, Weiyi has successfully entered into the international markets, such as Vietnam, India, Bengal, Malaysia, and so on, and has set up the special international marketing service-center.

Hence, Weiyi will build confidence, undertake the mission and continue promoting and developing grinding business and setting the stage for personal development. All people in Weiyi are devoting themselves to creating Weiyi into a grinding enterprise with hundred years Foundation by using their own courage and intelligence. Hence, Weiyi will build confidence, undertake the mission and continue promoting and developing grinding business and setting the stage for personal development. All people in Weiyi are devoting themselves to creating Weiyi into a grinding enterprise with hundred years Foundation by using their own courage and intelligence.





伟艺 抛磨材料
Wei Yi Polishing Material

公司荣誉 >>
company honor







伟艺 抛磨材料
Wei Yi Polishing Material

产 品 介 绍 >>>
product introduction

Concentrate, focus, create grinding expert
专心、专注，打造研磨专家



黑轮系列

清洁抛系列

角磨片系列

灰轮系列

风轮系列

单面磨尼龙轮系列

擦色轮系列

除蜡水系列

工业擦布系列

飞翼轮系列

仿羊毛轮系列

拉丝轮系列

5



Specifications 产品规格

颜色: 黑色/绿色	Colour: black/green
粒度: 36#-1500#	Grit: 36#-1500#
硬度: 2P-12P	Hardness: 2P-12P
最大转速: 3000rpm	Max speed: 3000rpm
直径: 100mm-400mm	Diameter: 100mm-400mm
厚度: 5mm-100mm	Thickness: 5mm-100mm
内孔: 19mm/25mm/32mm	Hole size: 19mm/25mm/32mm
孔形: 圆孔/内六角孔/方孔	Hole shape: round/hexagonal/square
备注: 可根据客户要求订做	Remark: can be done as customer request

Function 功能

For cleaning and polishing surface and rust especially in stainless steel workpiece.
黑轮是针对不锈钢产品表面抛光处理的产品。

Feature 优点

Powerful cutting resistance, identical finished surface.
Excellent self-shaping and nice bright.
Low noise and less dust.
切削力强、加工表面效果一致。
自锐性强, 不堵塞细缝, 光洁度好。
研磨时噪音低, 灰尘少。

Application 应用范围

Stainless steel knife, scissor, tableware and vacuum flask.
Metals of construction, handle, hinge, gate lock and door hinge.
Wipe off the burr of golf and cue.
Bakelite, wood and plastics.
不锈钢刀剪、餐具、真空保温杯表面研磨抛光。
建筑小五金、拉手、合页、门锁、门铰表面砂纹处理。
高尔夫球头、球杆去毛刺, 表面砂纹装饰。
电木、木制品、塑料的研磨抛光。

Non woven wheel

黑轮



Specifications 产品规格

颜色: 灰色	Colour: Gray
粒度: 36#-1500#	Grit: 36#-1500#
硬度: 2P-12P	Hardness: 2P-12P
最大转速: 3000rpm	Max speed: 3000rpm
直径: 100mm-400mm	Diameter: 100mm-400mm
厚度: 5mm-100mm	Thickness: 5mm-100mm
内孔: 19mm/25mm/32mm	Hole size: 19mm/25mm/32mm
孔形: 圆孔/内六角孔/方孔	Hole shape: round/hexagonal/square
备注: 可根据客户要求订做	Remark: can be done as customer request

Function 功能

Suitable for polishing zinc aluminum alloy titanium alloy and stainless steel.
灰轮是针对锌铝合金、钛合金以及不锈钢杯表面抛光处理而特别设计的产品。

Feature 优点

Powerful cutting resistance, achieve the clear well-distributed and beautiful line.
切削力强、所抛工件纹路清晰、均匀、美观。

Application 应用范围

Thermal sink with aluminium.
Electrical-appliance faceplate, aluminium product, rim of bicycle and tripod
The stainless steel vacuum flask.
Products of allumen and titanium alloy, for example, battery of mobile phone camera, tripod and spectacle frame.
铝制散热片表面抛光处理。
电器面板、铝材、自行车轮圈、三角架表面抛光处理。
不锈钢保温瓶、饮水杯的表面抛光处理。
锌铝合金、钛合金制品的表面的抛光处理, 例如手机电池、照相机、三脚架和眼镜架。

Gray wheel

灰轮





伟艺抛磨材料

Wei Yi Polishing Material

Specifications 产品规格

颜色:棕色/红色/白色/紫色/黄色
粒度:36#-1500#
硬度:2P-9P
最大转速:3000rpm
直径:150mm-350mm
厚度:5mm-100mm
内孔:19mm/25mm/32mm
备注:可根据客户要求订做

Colour:brown/red/white/purple/yellow
Grit:36#-1500#
Hardness:2P-9P
Max speed:3000rpm
Diameter:150mm-350mm
Thickness:5mm-100mm
Hole size:19mm/25mm/32mm
Remark: can be done as customer request

Function 功能

Specially for cleaning and grinding plating workpiece surface.

擦色轮是针对五金工件电镀前后的表面擦色处理。

Feature 优点

Can be sealed the oil directly after polishing.

Powerful cutting resistance and hard wearing.

Achieve the clear, well-distributed and beautiful line.

工件经擦色轮抛光后可直接封油。

切削力强、耐用，表面效果清晰。

砂纹直、纹路清晰、美观。

Application 应用范围

Lockset, metals of bathroom.

Metal lighting.

Handicraft article and adornment.


锁具、卫浴五金电镀前后（如镀红古铜、青古铜、白镍、黑镍、金、银等）擦色处理。

五金灯饰电镀前后擦色处理。

工艺品、装饰品电镀前后擦色处理。

Non woven polishing wheel

擦色轮



Specifications 产品规格

颜色:黄色/绿色/棕色
粒度:36#-1500#
最大转速:1500rpm
直径:150mm-350mm
厚度:20mm-100mm
内孔:19mm/25mm/32mm
备注:可根据客户要求订做

Colour:yellow/green/brown
Grit:36#-1500#
Max speed:1500rpm
Diameter:150mm-350mm
Thickness:20mm-100mm
Hole size:19mm/25mm/32mm
Remark: can be done as customer request

Function 功能

Designed for polishing Irregular workpiece surface create the grain effect.

飞翼轮是专为纹路要求高、不规则工件的表面抛光处理而设计的产品。

Feature 优点

Achieve the clear, well-distributed and beautiful line.

Polishing for irregular surface.

Excellent thermal diffusivity.

抛出产品的砂纹直、清晰均匀。

适用于表面不规则工件的抛光。

易散热，不易烧工件。

Application 应用范围

Metal, watchcase and metal lighting.

Metals of bathroom.

Electrical-appliance faceplate.

金属表带、表壳、五金灯饰表面抛光。

五金卫浴表面抛光。

电器面板（电脑外壳、手机外壳、DVD外壳、冰箱外壳、消毒碗柜外壳、电烫斗底板等）的表面抛光。

Non woven flap wheel

飞翼轮





Specifications 产品规格

粒度: 120#-10000#
 形状: 马蹄形/圆形
 尺寸: 9P×7.5cm×9.5cm×1.2cm (马蹄形)
 9P×4寸×1.2cm×1.5cm (小圆碟)
 9P×8寸×1.2cm×2.5cm (大圆碟)
 备注: 可根据客户要求订做

Grit: 120#-10000#
 Shape: horseshoe/round
 Size: 9P×7.5cm×9.5cm×1.2cm (horseshoe)
 9P×4inch×1.2cm×1.5cm (small round)
 9P×8inch×1.2cm×2.5cm (big round)
 Remark: can be done as customer request

Function 功能

Specially for grinding and cleaning marble, granite, ceramic tile.
 清洁抛是针对大理石、花岗岩、瓷砖的表面抛光处理而设计的产品。

Feature 优点

Powerful cutting resistance, hard wearing
 suitable for manual and automated production.
 切削力强, 经久耐用, 适合手工操作和自动化生产作业。

Application 应用范围

Marble, granite and ceramic tile.
 大理石、花岗岩、瓷砖的表面抛光处理。

Cleaning wheel

清洁抛



Specifications 产品规格

颜色: 黄色/绿色/棕色 Colour: yellow/green/brown
 粒度: 120#-400# Grit: 120#-400#
 直径: 300mm/400mm Diameter: 300mm/400mm
 备注: 可根据客户要求订做 Remark: can be done as customer request

Function 功能

Suitable for polishing of metal products, achieve disorderly grain effect.
 风轮是针对工件表面砂纹要求乱纹效果而设计的产品。

Feature 优点

Powerful cutting resistance and high efficiency.
 Excellent thermal diffusivity.
 切削力强, 工作效率高。
 易于散热, 不烧工件。

Application 应用范围

Metal lighting.
 Metals of bathroom.
 Handicraft article of cutlery.
 五金灯饰乱纹处理。
 五金卫浴用品的乱纹装饰。
 刀剑工艺品乱纹处理。

Wind wheel

风轮



Function 功能

Clean the polishing paste, the oil dirt and the grease of the workpiece.
 主要是清洗工件表面的抛光蜡、油垢、油脂等。

Usage 使用方法

First: Pouring a amount of water into the ultrasonic wave cleaner.
 Second: Warming up.
 Third: To mix the workpiece into the ultrasonic wave cleaner for cleaning. Time: 13 minutes.
 Fourth: Cleaning the workpiece with the rinsing. Time: 1 minute.
 配一定量的水后加入超声波清洗机中, 适当加温, 将工件放于清洗机中浸渍或洗涤13分钟, 再用清水洗涤约1分钟即可。

Application 应用范围

The workpiece of aluminum, copper, iron, steel and zinc.
 铁、钢、铝、锌、铜等工件的除蜡脱脂、洗涤油污。

Paraffin-removal liquid

除蜡水





伟艺抛磨材料

Wei Yi Polishing Material

Specifications 产品规格

颜色: 白色	Colour:white
硬度: 2P-12P	Hardness:2P-12P
直径: 100mm-250mm	Diameter:100mm-250mm
厚度: 25mm-50mm	Thickness:25mm-50mm
内孔: 19mm/25mm	Hole size:19mm/25mm
孔形: 圆孔	Hole shape: round
备注: 可根据客户要求订做	Remark: can be done as customer request

Function 功能

Ideal for general polishing of metals, stones, glass and ceramics.

仿羊毛轮是适用于金属、大理石、玻璃。

Feature 优点

None of dust adheres to the surface and achieve the clear well-distributed.

所抛工件表面效果一致、光洁，不易粘灰。


Application 应用范围

Elaborate Polishing about the upholster of automobile and construction.

玻璃及玻璃制品、精密仪器、不锈钢、石材、陶瓷、塑料、贵金属等表面的精抛处理。

广泛应用于汽车装潢、建筑高级装潢等行业。

Woolen wheel 仿羊毛轮



Specifications 产品规格

颜色: 红色/棕色/黑色/灰色/紫色	Colour:red/brown/black/gray/purple
粒度: 36#-1500#	Grit:36#-1500#
硬度: 5P-12P	Hardness:5P-12P
最大转速: 11000rpm	Max speed:11000rpm
直径100mm	Diameter:100mm
厚度: 13mm/15mm/17mm	Thickness:13mm/15mm/17mm
内孔: 39mm	Hole size:39mm
备注: 可根据客户要求订做	Remark: can be done as customer request

Function 功能

For grinding workpiece weld, used with polishing machine.

角磨片是专为工件焊接口抛磨而设计的产品，该产品要和角磨机配套使用。

Feature 优点

Powerful cutting resistance, wipe off the burr for different kinds of materials.

切削力强，去毛刺快，效果明显。

Application 应用范围

Bicycle frame, metals, metal pressing and metal jointing.

自行车架、金属铸件、金属冲压件、金属焊接地方的研磨。

Non woven disc 角磨片



Specifications 产品规格

颜色: 黑色	Colour:black
粒度: 46#-320#	Grit:46#-320#
硬度: 8P-12P	Hardness:8P-12P
直径: 350mm/525mm	Diameter:350mm/525mm
厚度: 50mm	Thickness:50mm
内孔: 200mm/250mm/450mm	Hole size:200mm/250mm/450mm
备注: 可根据客户要求订做	Remark:can be done as customer request

Function 功能

Designed for plane shear surface polishing treatment.

单面磨尼龙轮是专为平面刀剪产品表面抛光处理而设计的产品。

Feature 优点

Powerful cutting resistance, achieve the clear, well-distributed and beautiful line.

The workpiece would reach laser light after polishing.

切割力强，纹路清晰、均匀。

所抛工件具有橡胶轮的镭射光效果，光洁、美观。

Application 应用范围

Chopping knife, fruit knife and kitchen knife.

广泛应用于厨刀、水果刀、菜刀等刀具表面处理。

Single sided polishing wheel 单面磨尼龙轮





Specifications 产品规格

颜色:棕色/绿色 Colour:brown/green
 粒度:180#-400# Grit:180#-400#
 尺寸:6X9 英寸 Size:6X9 inch
 备注:可根据客户要求订做 Remark: can be done as customer request

Function 功能

Widely used for polishing the surface of plating workpiece.
 工业擦布广泛用于工件电镀前后的抛光处理。


Feature 优点

Protect the electroplated layer.
 Excellent elasticity, suitable for manual and automated production.
 能很好保护电镀层, 不易抛穿电镀层。
 纤维弹性好, 适用于手抛及自动化作业。

Application 应用范围

Metal lighting, metals of bathroom and hinge.
 Knife, scissor, golf, the stainless steel vacuum flask, battery of mobile phone, buckle, metal button.
 Bakelite, wood and plastics.
 五金灯饰、卫浴产品、合页等表面抛光处理。
 刀剪、高尔夫球、保温杯、手机电池、皮带扣、金属钮扣的表面抛光处理。
 电木、木制品、塑料的抛光。

Souring pad 工业擦布



Specifications 产品规格

常用尺寸: 120×100×25.4mm Stock size: 120×100×25.4mm
 粒度:60-80# Grit:60-80#
 孔形: 十字心孔 Hole size:cross
 备注:可根据客户要求订做 Remark:can be done as customer request

Feature 优点

Powerful cutting resistance, achieve the clear, well-distributed and beautiful line.
 Excellent thermal diffusivity.
 Hard wearing.
 Highly active.

产品特性:

- (1) 本产品采用高度的柔软设计, 精选高韧度纤维和矿砂等材料, 经由特殊粘胶合制而成, 专为表面不规则、表面效果要求高的工件而设计制造, 各类金属砂光或电镀后拉砂纹处理, 木线条或木相架等木制品的打磨, 去除毛刺和底漆处理。不锈钢产品表面焊接, 划伤后进行修复, 能有效地还原拉丝纹, 使用方便快捷。
- (2) 黑金刚拉丝轮用途: 广泛用于高硬度不锈钢, 钢铁, 木材等产品表面抛光拉丝, 使产品有特殊和均匀清晰的条文。以及用于除去表面涂漆, 除去表面铁锈, 清理钢管内径、焊道或污物。清洁涂漆或金属涂漆前表面处理, 以增加附着力, 焊接点或粘著点表面顽抗的环氧树脂层清除焊道检查前处理, 清除焊接残留物, 打亮、修饰或磨光转角处理焊接点。
- (3) 夹砂带拉丝轮优点: 产品切削力强, 砂纸有抗静电处理, 纹路清晰。特别适应加工不规则形状的工作, 不烧伤工件表面、强韧耐用、高效、自锐(防堵)、光洁度高, 产品切削力强, 寿命长, 纹路清晰。

Application 应用范围

Iron and steel, the stainless steel, wood.
 Wipe off the burr for different kinds of materials.
 Coordinate with the brasive finishing machine.
 配手提式德国七档抛光机或者装配在电动/气动工具上使用, 针对成型木家具线条, 铝型材, 不锈钢、铜等金属制品、凹凸面的表面拉丝或管件效果处理, 粗粒可制造出各种精度不同的雪花纹、拉丝纹、波浪纹、快速修补深度划痕。

The pulling wheel 拉丝轮





价格合理
Fair price

诚信服务
Sincere service

电话 Tel: 0662-6698778

传真 Fax: 0662-698288 6696313

公司网址 Website: [Http://www.yj-wei yi.com](http://www.yj-wei yi.com)

邮编 Postal Code: 529932

广东省阳江市阳东区北惯镇打石山工业区C14号之二

No. 2, Dashishan Industrial Zone C14, Beiguan town, Yangdong county, Yangjiang, Guangdong, China